

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24400

Stream : Smith Ditch

Applicant : City of Crown Point
Bill Meeks
101 North East Street
Crown Point, IN 46307-4027

Description : The existing 2 - 36" corrugated HDPE pipe culverts carrying Stillwater Parkway and Greenview Place over the ditch will be replaced with a new box culvert system to reduce upstream flood damages. The new crossings will consist of 1 - 12' by 5' box centered in the channel with 2 - 12' by 4' concrete box culverts positioned on either side. The new culverts will be skewed to align with the stream flow. Minor channel shaping (will occur/occurred) both downstream and upstream of the new culvert to improve the flow transition at the crossing. The reshaped areas will be stabilized with an 18" thick layer of limestone riprap placed over geo-textile fabric. The crown of the roadway over the new culverts will be at 701.2', NGVD on Stillwater Parkway and 700.2', NGVD on GReenview Place. Details of the project are contained in information and plans received at the Division of Water on July 3, 2007.

Location : At the Greenview Place and Stillwater Parkway stream crossings
DOWNSTREAM: near Crown Point, Center Township, Lake County
E½, E½, Section 16, T 34N, R 8W, Crown Point Quadrangle
Quad Code: 4108743
UTM Coordinates: Downstream 4583247 North, 471654 East
UPSTREAM:
UTM Coordinates: Upstream 4582741 North, 471805 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24413

Stream : Brandywine Creek

Applicant : Ted L Cecil
1764 East 500 South
Greenfield, IN 46140-9266

Description : A 25' addition to an existing garage is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 16, 2007.

Location : approximately 1200' east and 100' north of the intersection of State Road 9 and County Road 500 South
near Greenfield, Brandywine Township, Hancock County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 29, T 15N, R 7E, Fountaintown Quadrangle
Quad Code: 3908567
UTM Coordinates: Downstream 4396519 North, 605603 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24450

Stream : White Lick Creek

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : Approximately 5.8 miles of State Route 42 between Monrovia and Mooresville will be reconstructed and resurfaced. Portions of the roadway located in the floodway will include full roadway reconstruction including paved shoulders and new v bottom ditches. Details of the project are contained in information and plans received at the Division of Water on August 8, 2007.

Location : SR 42 from approximately 200 meters east of the east junction of SR 39 in Monrovia to approximately 730 meters west of SR 267
at Mooresville, Brown Township, Morgan County
SE $\frac{1}{4}$, Section 12, T 13N, R 1W, Mooresville West Quadrangle
Quad Code: 3908654
UTM Coordinates: Downstream 4384296 North, 552905 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24456

Stream : West Fork White River

Applicant : City of Carmel
John Duffy, Utility Manager
130 1st Avenue South West
Carmel, IN 46032-2009

Description : A 95' deep well with a 36" diameter well casing is proposed. The top of the well casing will be approximately 10' above existing ground, which will make it approximately 3' above the 100 year elevation. In addition, a 50' gravel long access drive will be constructed. Details of the project are contained in information and plans received at the Division of Water on August 15, 2007.

Location : Along the west bank of the West Fork White River, approximately 290' north of 96th Street and 500' east of Hazel Dell Parkway
near Carmel, Clay Township, Hamilton County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 9, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681
UTM Coordinates: Downstream 4420140 North, 578865 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24457

Stream : Canary Ditch

Applicant : G & H Wire
Richard Michael Jahns
2165 Earlywood Drive
Franklin, IN 46131-8879

Description : An existing detention basin will be re-shaped and a new bituminous parking lot will be constructed in the floodway. Details of the project are contained in information and plans received at the Division of Water on August 16, 2007 and August 27, 2007.

Location : Along the east (left) bank, beginning approximately 50' downstream of the County Road 300 North crossing
near Franklin, Franklin Township, Johnson County
NE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 2, T 12N, R 4E, Greenwood Quadrangle
Quad Code: 3908651
UTM Coordinates: Downstream 4374877 North, 580672 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24459

Stream : Big Walnut Creek

Applicant : Altra Indiana, LLC
Chuck Moseman
2265 East 800 South, Suite 1
Cloverdale, IN 46120-8431

Description : A wellfield is proposed that will contain four new production wells. Fill will be placed around each 16" diameter well casing, creating a mound for maintenance platform installation. The well mounds will extend a maximum of 4' above existing grade and will have 3:1 side slopes. The top of mound will measure 9' wide by 19' long and the toe of mound will measure 33' wide by 43' long. The maintenance platforms will consist of an 8' by 8' by 6" thick reinforced concrete slab surrounding the well, and an adjacent 10' long by 6' wide by 7' deep reinforced concrete valve vault. The platforms will be equipped with an electrical unit mounted a minimum of 3' above the 100-year frequency flood elevation. Each well will also include an 8" diameter discharge line, extending from the well casing at a minimum depth of 4' below existing grade. In order to access the wells, two gravel roads approximately 14' in width will be constructed at grade within open agricultural land. The roads will be composed of 8" of #2 stone, and will measure approximately 1300' and 1900' in length. Details of the project are contained in information and plans received at the Division of Water on August 20, 2007 and August 29, 2007.

Location : Approximately 1.3 miles south of US 40 on CR 625 W (south of Reelsville School)

DOWNSTREAM: near Reelsville, Washington Township, Putnam County
NE $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 33, T 13N, R 5W, Reelsville Quadrangle
Quad Code: 3908658
UTM Coordinates: Downstream 4375240 North, 503180 East
UPSTREAM: SW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 28, T 13N, R 5W

UTM Coordinates: Upstream 4375765 North, 502950 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24460

Stream : Unnamed Tributary South
Fork White Creek

Applicant : Camp Lakeview
Tom Franke
13500 West Lake Road
Seymour, IN 47274-8719

Description : An earthen dam will be constructed to create a 10 acre recreational lake. The dam will be approximately 450' long and 29' high. It will have a crest elevation of 665', NGVD and a 12' top width. The upstream and downstream embankment slopes will be 3:1. The upstream face of the dam will be lined with riprap 2' above and below the normal water line. A 8' deep core trench with a 15' bottom width will be constructed across the base of the valley. The trench will be constructed from the valley base to the normal water line elevation a minimum of 6' in depth with a minimum base width of 12'. The core trench will be backfilled with compacted clay type soil and compacted. The principal spillway will consist of approximately 120' of 18" HDPE pressure pipe fitted with 5' x 5' antiseep collars. A 4' by 4' concrete box with a 5' minimum depth will be connected to the spillway pipe. The structure is designed to maintain a normal pool elevation of 660.5', NGVD. A vegetated emergency spillway will be constructed in the east abutment. It will have a 100' bottom width and a control elevation of 661.5', NGVD. Details of the project are contained in information and plans received at the Division of Water on August 17, 2007 and August 20, 2007.

Location : UNT South Fork White Creek located in part of SE 1/4 of Section 3, T7N, R4E, Waymansville quadrangle map, Bartholomew County. Located approximately 1.3 miles west of Waymansville.
near Waynesville, Jackson Township, Bartholomew County
SE¼, SE¼, Section 3, T 7N, R 4E, Waymansville Quadrangle
Quad Code: 3908611
UTM Coordinates: Downstream 4324689 North, 580754 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24462

Stream : East Fork White River

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A new 15' by 190' by 6" reinforced concrete boat ramp will be constructed in the floodway at a 45 degree angle to the existing ramp. Approximately 35' of the new ramp will extend into the river during normal low water conditions. The existing ramp will be excavated and graded to return the river bank to pre-construction condition. Riprap will be placed at the based of the ramp and for 30' on either side of the new ramp for bank stabilization. Additional construction will include a 17' by 20' concrete ADA compliant parking pad at grade and the enlarge ment and improvement of an existing parking area. Details of the project are contained in information and plans received at the Division of Water on August 20, 2007.

Location : Along the north (right) bank of the river at the Flatrock Public Access Site
near Washington, Harrison Township, Daviess County
SE¼, SE¼, Section 14, T 1N, R 6W, Glendale Quadrangle
Quad Code: 3808751
UTM Coordinates: Downstream 4262685 North, 496564 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24463

Stream : Big Blue River

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : An 80' long by 18' wide by 6" thick concrete boat ramp will be constructed in the floodway. Approximately 30' of the ramp will extend below the OHW. Riprap will be placed on the riverbank and at the ramp base for erosion control. Additional work includes the construction of an accessible 14' by 6' transfer dock and 17' by 20' parking pad. Also, a 75' by 75' gravel approach and parking area will be constructed southeast of the ramp. Details of the project are contained in information and plans received at the Division of Water on August 20, 2007.

Location : Along the east (left) bank approximately 2000' downstream of the Conrail stream crossing
at Edinburgh, Blue River Township, Johnson County
NW¼, NW¼, NW¼, Section 34, T 11N, R 5E, Edinburgh Quadrangle
Quad Code: 3908538
UTM Coordinates: Downstream 4357356 North, 588768 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24465

Stream : Laughery Creek

Applicant : *Indiana Department of Natural Resources
Division of Engineering
Dale A Gick
402 West Washington Street, Room W299
Indianapolis, IN 46204-2739

Description : Approximately 2500' of 2" sanitary sewer force main and a lift station will be constructed in the floodplain. Also, a new 4" water main will be placed parallel to the new force main. Both utility lines will be constructed within the easement of an existing access road. Details of the project are contained in information and plans received at the Division of Water on August 23, 2007 and August 29, 2007.

Location : Along the left bank of the stream beginning at the Versailles State Park gatehouse and extending upstream approximately 2500'
near Versailles, Johnson Township, Ripley County
W½, NW¼, Section 7, T 7N, R 12E, Milan Quadrangle
Quad Code: 3908512
UTM Coordinates: Downstream 4325826 North, 652503 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24467

Stream : Middle Fork Wildcat Creek

Applicant : Mike Gochenaur
9465 North Waldron Road
Rossville, IN 46065-9552

Description : The plastic perimeter skirting around an existing mobile home will be replaced with a concrete block foundation constructed on a concrete footer. Also, a 14' by 20' room addition will be constructed on the southeast corner of the home. Details of the project are contained in information and plans received at the Division of Water on August 23, 2007.

Location : Approximately 2100 feet upstream from the confluence with Campell's Run along the Northwest overbank
near Edna Mills, Ross Township, Clinton County
SE¼, NE¼, SE¼, Section 20, T 23N, R 2W, Pymont Quadrangle
Quad Code: 4008646
UTM Coordinates: Downstream 4474706 North, 529028 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24468

Stream : North Fork Salt Creek

Applicant : Bill Voland
PO Box 637
Nashville, IN 47448-0637

Description : A 250' by 1600' compacted earth fill pad will be constructed for future commercial development. The depth of fill will vary from 9' to 12' and will have 3:1 side slopes. A single access road will connect the fill to State Road 46. Also, a 100' by 100' stormwater detention pond will be excavated north of the fill. Details of the project are contained in information and plans received at the Division of Water on August 24, 2007.

Location : Beginning at the State Road 46 stream crossing and extending between approximately 210' and 1800' west of the west bank of North Fork Salt Creek and 60' and 400' north of the centerline of State Road 46
DOWNSTREAM: at Nashville, Washington Township, Brown County
NW¼, NE¼, Section 28, T 9N, R 3E, Nashville Quadrangle
Quad Code: 3908622
UTM Coordinates: Downstream 4338747 North, 568844 East
UPSTREAM: Brown County

UTM Coordinates: Upstream 4338468 North, 569286 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-20835
- Lake : Cass Lake
- Applicant : Foxwood Hills Campground
Dirk Hough
18224 County Road 22
Goshen, IN 46528-9160
- Description : A 4' by 8' underwater beach will be constructed across 8' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. The pea gravel will be placed to fill in a hole located in the existing beach area. Details of the project are contained in information and plans received at the Division of Water on July 23, 2007, August 17, 2007, August 27, 2007 and August 29, 2007.
- Location : Dorchester Beach, Foxwood Hills Campground
near Middlebury, Van Buren Township, LaGrange County
NW¼, NW¼, NW¼, Section 5, T 37N, R 8E, Middlebury Quadrangle
Quad Code: 4108566
UTM Coordinates: Downstream 4616820 North, 613286 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20864
- Lake : Clear Lake
- Applicant : John and Jan Jarrett
11430 Grotrian Road
Monroeville, IN 46773-9594
- Description : A concrete seawall will be refaced with a layer of concrete across 48.6' of the applicant's 48.6' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 22, 2007.
- Location : 1112 Lake Drive, approximately 900' east and 200' south of the North 700 East and South Lake Drive intersection
near Fremont, Fremont Township, Steuben County
NE¼, SW¼, SW¼, Section 19, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4622397 North, 678286 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20867

Lake : Rock Lake

Applicant : Scott Miller
4282 Cabin Court
New Palestine, IN 46163-9485

Description : A seawall will be restored/constructed along the frontage of the applicant, Lot #29 of Sunset View Park Addition on Rock Lake near Akron, IN to deter further shoreline erosion. The wall will be composed of two inch to twelve inch diameter glacial stone and will be approximately 150 ft long. Its lakeward face will be at the legal/average normal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on August 27, 2007 and in plans and information received at the Division of Water on

Location : Shoreline of Lot #29, Sunset View Park Addition, Rock Lake
near Akron, Seward Township, Kosciusko County
Section 16, T 30N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20868

Lake : Waldron Lake

Applicant : Keith and Karen Kline
9942 North Eagle Island
Rome City, IN 46784-9740

Description : A new underwater beach will be constructed in front of the property of the applicant on Waldron Lake to provide an area for swimming. The beach will consist of a 1" to 12" thick layer of 7/64 inch clean, washed pea gravel/sand placed directly on the lakebed. The beach will begin approximately 25' west of the eastern property line and will extend westerly across 25' of the 200' frontage. It will have a maximum lakeward projection of 2' or a depth of 1' below the legal level of the lake. Putting pea gravel (12' wide) into the water for a beach, and if allowed we will put sand 10' away from the water for a beach, 25' wide by 25' long. Details of the project are contained in information and plans received at the Division of Water on August 27, 2007.

Location : 9942 North Eagle Island
near Rome City, Noble Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11